

Safety Data Sheet

Issue Date: 05-Oct-2017 Revision Date: 08-Jan-2018 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Kitchen Renew Semi Gloss Clear Countertop Coating

Other means of identification

SDS # NAP00077

Recommended use of the chemical and restrictions on use

Recommended Use For industrial use.

Details of the supplier of the safety data sheet

Manufacturer Address

North America Polymer Company, Ltd. 7315 Hamlin Ave Skokie, IL 60076 USA

Emergency Telephone Number

Company Phone Number 800-888-1081 / 847-779-6464

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear liquid Physical state Liquid Odor Slight acrylic

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Glycol Ether EB	111-76-2	1-10
Silica, fumed	112945-52-5	<1

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret. **

4. FIRST AID MEASURES

First Aid Measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes.

Inhalation Remove to fresh air.

Revision Date: 08-Jan-2018

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects

Symptoms Causes mild skin irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible MaterialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Revision Date: 08-Jan-2018

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Glycol Ether EB	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	
		(vacated) S*	
		S*	
Silica, fumed	-	TWA: 20 Million particles per	-
112945-52-5		cubic feet	

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateLiquidAppearanceClear liquidOdorSlight acrylicColorColorlessOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 7.5-9.5

Melting point / freezing point Not determined
Boiling Point / Boiling Range Not determined

Flash Point Not determined Evaporation Rate <1

Evaporation Rate <1 (butyl acetate = 1)

Flammability (Solid, Gas) Liquid-Not applicable

Flammability Limit in Air
Upper Flammability Limit
Not determined

Lower Flammability Limit
Vapor Pressure

Not determined
Not determined

Vapor Density <1.0 **Relative Density** 1.01-1.03 **Water Solubility** Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Revision Date: 08-Jan-2018

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Glycol Ether EB	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 486 ppm (Rat) 4 h = 450 ppm
111-76-2			(Rat) 4 h
Silica, fumed	= 3160 mg/kg (Rat)	-	-
112945-52-5			
Propylene Glycol	= 3750 mg/kg (Rat) > 2 g/kg (-	-
25322-69-4	Rat)		
Alcohols, C11-15, secondary	= 32 mL/kg (Rat) = 2100 mg/kg (= 5660 μL/kg (Rabbit) = 2 mL/kg	-
68131-40-8	Rat)	(Rabbit)	
2,4,7,9-Tetramethyl-5-Decyne-4,7-D	> 500 mg/kg (Rat)	> 1000 mg/kg (Rabbit)	> 20 mg/L (Rat) 1 h
iol			- , ,
126-86-3			

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes mild skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Carcinogenicity

Group 3 IARC components are "not classifiable as human carcinogens".

Revision Date: 08-Jan-2018

Chemical Name	ACGIH	IARC	NTP	OSHA
Glycol Ether EB 111-76-2	A3	Group 3		
Silica, fumed 112945-52-5		Group 3		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

 ATEmix (oral)
 5,222.22 mg/kg

 ATEmix (dermal)
 12,222.22 mg/kg

 ATEmix (inhalation-dust/mist)
 16.70 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Glycol Ether EB		2950: 96 h Lepomis macrochirus	1698 - 1940: 24 h Daphnia magna
111-76-2		mg/L LC50 1490: 96 h Lepomis	mg/L EC50 1000: 48 h Daphnia
		macrochirus mg/L LC50 static	magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Glycol Ether EB	0.81
111-76-2	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of WastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

NAP00077 - Kitchen Renew Semi Gloss Clear Countertop Coating

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

Revision Date: 08-Jan-2018

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Glycol Ether EB	X	Х	Х	Х	Х	Х	Х	Х
Oxidized Polyethylene	Х	Х		Х	Х	Х	Х	Х
Silica, fumed	Х	Х		Х	Х	Х	Х	Х
Propylene Glycol	Х	Х	Х	Х	Х	Х	Х	Х
Alcohols, C11-15, secondary	Х	Х			Х	Х	Х	Х
2,4,7,9-Tetramethyl-5-Decyn e-4,7-Diol	Х	Х	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Glycol Ether EB - 111-76-2	111-76-2	1-10	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

NAP00077 - Kitchen Renew Semi Gloss Clear Countertop Coating

Revision Date: 08-Jan-2018

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Glycol Ether EB	X	X	X
111-76-2			

16. OTHER INFORMATION

NFPA **Health Hazards** Flammability Instability **Special Hazards** Not determined Not determined Not determined Not determined Physical hazards **Personal Protection Health Hazards Flammability HMIS** Not determined Not determined Not determined Not determined

Issue Date:05-Oct-2017Revision Date:08-Jan-2018Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet